## TECHNICAL DATA SHEET



Value

Milk White

Non-ionic

0.5-25.0%

40 °C / 104 °F

32 lb. pails or 325 lb.

4 °C / 39 °F

## **ICM EM 1642** High-end nonionic emulsion of silicone crosspolymer

Description	Property	Test
This product is a emulsion of a crosspolymer gel.		Method
Key Features	Product	
Excellent surface leather conditioner	Appearance	

Improves touch and surface slip Ionicity Provides a light scattering matte effect MIT Free

Yes **Key Applications** Non-Volatile Content (%) 8 Leather Ultralow cyclic content No

Tires Viscosity (cst) 100,000 Synthetic surfaces Automotive surfaces

**Addition Rates Application** Dosage - 1

ICM EM 1642 is a emulsion of a crosspolymer gel that is designed for use on leather and other interior automotive surfaces to reduce glare and improve touch properties. ICM EM 1642 can also be used as a high end, long lasting slip aid for sliding windows and doors as well as an anti-squeak additive for automotive interiors.

Packaging **Use and Cure Information** drums

Shelf Life 12 mths This product is compatiable with aqueous systems and can be added directly to the formulation with minor agitation.

**Health & Safety** 

Read product and safety data sheets before handling this product for physical and health hazard information. The safety data sheet is available from your CHT representative.

Storage

Max Storage Temperature

Min Storage Temperature

Limitations

This product is not intended for pharmaceutical use.

**Revision Date** 21 Sep 2021

Revision No

Download Date 18 May 2024