# **TECHNICAL DATA SHEET**



# HANSA CARE 2255 Modified organosiloxane as an ingredient for Home and Car Care.

Droporty

#### Description

The permanently cationic charge makes these polymers excellently suited for a use as spray wax or rinse-off wax. Moreover, silicone quats may work as boosters for other substances which can then be distributed more easily on the surface.

# Key Features

- Water repellency, Sheeting effect
- Cleansing effect
- Enhances gloss and color depth
- Smoothness

#### Key Applications

- Car Care
- Rinse Aid Formulations
- Sanitary Cleaners

## Application

HANSA CARE 2255 can be used as wax additive in car shampoos, sanitary cleaners or toilet cleaners. By adding HNANSA CARE 2255, a beading effect as well as an easy-toclean effect on glass, porcelain, varnish, plastics, metal and chrome is achieved. Moreover, it is suited for formulating gloss driers, spray waxes and for "waterless car wash" products.

### Health & Safety

Safety Data Sheets available on request.

#### Packaging

Drums and bulk containers. Please contact our sales department for more information.

Revision Date	29 Apr 2021
Revision No	1
Download Date	09 May 2024

	Property	Method	Value
	Product		
	Appearance		Colourless to yellowish liquid
	Chemistry		Quaternary modified organosiloxane
	Ionicity		Cationic
	MIT Free		Yes
	Non-Volatile Content (%)		Approx. 70
	Ultralow cyclic content		Yes
	Viscosity	Brookfield	100 – 300 cP
	Addition Rates		
	Dosage - 1		1.0 – 5.0% in waxes
	Dosage - 2		2.0 - 10.0% in rinse aid formulations
)-	Dosage - 3		0.5 - 5.0% in cleaners / shampoos
SS	Change and		
	Storage		
	Max Storage Temperature		40 °C / 104 °F
	Min Storage Temperature		4 °C / 39 °F
	Shelf Life		6 mths
nont			

Test

Valua

The content set out in the technical data sheet does not contain information upon which you should rely. It is provided for general information purposes only and does not constitute a product specification. You must obtain professional or specialist advice before taking any action based on the information provided in the technical data sheet.

CHT make reasonable efforts to ensure that information set out in the technical data sheet is complete, accurate, and up-to-date. CHT do not, however, make any representations, warranties or guarantees (whether express or implied) that information set out in the technical data sheet is complete, accurate, or up-to-date or that the product will be suitable for your requirements. You should carry out your own testing to determine the applicability of such information and whether the product will be suitable. CHT reserve the right to modify the technical data sheet at any time. The CHT technical service department is available to offer further information and advice and should it be needed to look at modifying current products or custom formulate a new one to meet your specific requirements. Please contact the technical service department.

CHT Germany GmbH: Postfach 12 80, 72002 Tübingen, Bismarckstraße 102, 72072 Tübingen, Germany

Telephone: 07071/154-0, Fax: 07071/154-290, Email: info@cht.com, Homepage: www.cht.com / www.cht-silicones.com